

Safety Data Sheet

Manufacturer: Soft99 Corporation

Address: 6-5, Tanimachi 2-Chome,
Chuo-ku, Osaka, 540-0012,
Japan

REF No.: 02069

Telephone: 81-6-6942-6958

LEATHER FINE

Ingredient

Name	wt%	Formula	Cas No.
Surface active agent	nondisclosure	-	nondisclosure
Silicone	nondisclosure	-	nondisclosure
Carnauba	nondisclosure	-	8015-86-9

Hazardous identification:

GHS classification:

Exempt from GHS classification.

First aid measures:

In case attached to skin:

Immediately flush out with water and wash carefully polluted part using soap.

In case the cloth still sticks to skin after washing, do not induce removing.

If it reaches the eyes:

Immediately flush eyes with plenty of water for at least 15 min while holding eyelids open.

If eye irritation persists, seek medical attention.

In case irritation is serious, immediately have medical check.

Most important diagnostic and symptom:

Nothing special

Protection for a person who provides emergent measures:

Nothing special

Notes to Physician:

Nothing special

Fire fighting measures:

Extinguishing media: Nothing special

(This product itself is not flammable.)

Specific hazard and toxicity when fire:

Combustion gas contains toxic gas like carbon monoxide system, nitrogen oxide system gas and so on.

Be careful not to inhale the smoke when firefighting.

Procedures:

- Extinguish the fire from the windward.
- Remove outsiders to safe place.
- In case of fire in the surrounding area, immediately remove containers to safe place.
- In order to prevent the temperature elevation of equipment around fire by radiation heat, cool down it by water spray.

Protection for a person who extinguish fire:

- Wear protective gloves, goggles and mask.
- Extinguish the fire from the windward for avoiding inhalation of poisonous gas.

Measures against spill and leak:

Precaution for human body, Protection media, and Emergency measure:

- In case of leakage indoors, provide adequate ventilation till the disposal is completed.
- When coping the aftermath of leakage, wear protective gloves, goggles and mask without fail.
- Keep outsiders away from leakage area.
- In case of leakage, put on protective equipment and avoid attaching splash to skin, or inhalation of gas.
- For ignition, prepare fire-extinguisher.
- Leakage area is slippery, so be careful with it.
- Take care so that this product doesn't pollute the environment by leakage flowing into rivers.
- After recovery of the leakage, absorb residue by using sand or sawdust.
- Wear suitable protective equipment. Spill should be collected into a container, which can be tightly closed. Avoid sparks, use plastic made tools when collecting spill.

Handling precaution:

- Heed the label warnings, and use this product only for proper purpose.

Exposure controls / personal protection:

Measures for facilities:

- In case vapor, smoke or mist comes out, set up local ventilation equipment.

Permissible Exposure Limit:	ACGIH	
	Threshold Limit Value - TWA	Threshold Limit Value - STEL
	no data	no data

Protection:

- Put on protective mask if needed.
- Wear protective glove. If needed, use solvent resistant glove, or vinyl glove.
- If needed, put on protective cloth, or protective apron.
- If needed, put on protective glasses.

Physical and chemical properties:

Physical form: liquid	Density: 0.980 (at 25°C)
Color and odor: light yellow	pH: 5.7 (at 25°C)
Boiling point: -	
Vapor Pressure: -	

Information about dangers:

Flash point: No data	Reactivity: No data
Ignition point: No data	Stability: Very stable
Explosion point: No data	
Flammability: No	

Toxicological information:

Toxicological information as a whole product: under the cutoff value of GHS classification

Ecological Information:

Toxicological information as a whole product: under the cutoff value of GHS classification

Disposal considerations:

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Transport information:

International regulation :

UN classification :	none
UN number :	none

Specific safety measure and condition of transportation:

- Be sure that the container has no crack, and no leakage.
- Ensure avoiding collapse of cargo.
- All transportation such as land, maritime, and air should be in compliance with each regulation.
- Avoid direct sunlight.
- Water leakage must be avoided.
- Do not lay down.
- Under hot temperature, don't put container onto hot ground surface or iron plate.
- Handle the container carefully, not to give a shock. Don't slam or overturn it.

Other information:

Guideline of Material Safety Data Sheet by Association of Japan Auto Chemical Industry.

The information contained herein is based on current knowledge and experience; no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment.