

# Safety Data Sheet

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 42-6891-8
 Version number:
 1.01

 Revision date:
 06/10/2023
 Supersedes date:
 16/12/2021

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

# 1.1. Product identifier

Hybrid Ceramic Trim Restorer G2203 [G220316]

#### **Product Identification Numbers**

14-1001-5576-2

7100315561

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

# 1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form

are noted below, if applicable. The aspiration hazard classification is not required due to the product's viscosity.

#### **CLASSIFICATION:**

#### Hybrid Ceramic Trim Restorer G2203 [G220316]

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

#### **HAZARD STATEMENTS:**

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

#### SUPPLEMENTAL INFORMATION:

#### **Supplemental Hazard Statements:**

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an

allergic reaction.

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 1% of components with unknown hazards to the aquatic environment.

### Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

### 2.3. Other hazards

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Ingredient	Identifier(s)		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Non-Hazardous Ingredients	Mixture	60 - 100	Substance not classified as hazardous
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	(EC-No.) 927-676-8	Asp. Tox. 1, H304 EUH066	
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me	(CAS-No.) 71750-79-3	1 - 5	Aquatic Chronic 3, H412
Naphtha (petroleum), hydrotreated heavy	(CAS-No.) 64742-48-9 (EC-No.) 265-150-3	1 - 5	Asp. Tox. 1, H304 EUH066
octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2 (EC-No.) 209-136-7	< 0.1	Repr. 2, H361f Aquatic Chronic 1, H410,M=10

			Flam. Liq. 3, H226
reaction mass of: 5-chloro-2-methyl-4-	(CAS-No.) 55965-84-9	< 0.0015	EUH071
isothiazolin-3-one [EC no. 247-500-	(EC-No.) 911-418-6		Acute Tox. 3, H301
7]and 2-methyl-2H-isothiazol-3-one [EC			Skin Corr. 1C, H314
no. 220-239-6] (3:1)			Eye Dam. 1, H318
			Skin Sens. 1A, H317
			Aquatic Acute 1, H400,M=100
			Aquatic Chronic 1, H410,M=100
			Nota B
			Acute Tox. 2, H330
			Acute Tox. 2, H310

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

#### **Specific Concentration Limits**

Ingredient	Identifier(s)	Specific Concentration Limits
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	(EC-No.) 911-418-6	(C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

# Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

### If swallowed

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

# **4.3. Indication of any immediate medical attention and special treatment required** Not applicable.

# **SECTION 5: Fire-fighting measures**

# 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

and which of the cook is the inglishing ingenie during the order and order of the cook is the cook is

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2.** Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

No engineering controls required.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

## Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material Thickness (mm) **Breakthrough Time** Polymer laminate No data available No data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

#### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liquid. Specific Physical Form: Emulsion Colour White Melon Odor

Odour threshold No data available. Melting point/freezing point No data available. Boiling point/boiling range No data available. Flammability (solid, gas) Not applicable. Flammable Limits(LEL) No data available. Flammable Limits(UEL) No data available.

Flash point

Flash point > 93 °C (200 °F) [Test Method: Estimated] **Autoignition temperature** No data available. **Decomposition temperature** No data available.

7.5

pН

25,000 mm<sup>2</sup>/sec **Kinematic Viscosity** Water solubility Negligible

No data available. Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. Vapour pressure

0.97 g/ml Density Relative density 0.97

**Relative Vapour Density** Not applicable.

### 9.2. Other information

#### 9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Percent volatileNo data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No known health effects.

#### Skin contact

Prolonged or repeated exposure may cause: Dermal Defatting: Signs/symptoms may include localized redness, itching, drying and cracking of skin.

#### Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

# Ingestion

No known health effects.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Inhalation- Vapour(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Vapour	Professio nal judgeme nt	LC50 estimated to be 20 - 50 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.4 mg/l
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	similar compoun ds	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	similar compoun ds	LD50 > 5,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Inhalation- Vapour		LC50 estimated to be 20 - 50 mg/l
Naphtha (petroleum), hydrotreated heavy	Dermal	Rabbit	LD50 > 5,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Ingestion	Rat	LD50 > 5,000 mg/kg
octamethylcyclotetrasiloxane	Dermal	Rat	LD50 > 2,400 mg/kg
octamethylcyclotetrasiloxane	Inhalation- Dust/Mist (4 hours)	Rat	LC50 36 mg/l
octamethylcyclotetrasiloxane	Ingestion	Rat	LD50 > 5,000 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Rabbit	LD50 87 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	similar	Mild irritant
	compoun	
	ds	
Naphtha (petroleum), hydrotreated heavy	Rabbit	Minimal irritation
octamethylcyclotetrasiloxane	Rabbit	Minimal irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

Serious Eve Damage/Irritation

Serious Eye Damage/Hillation		
Name	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	similar	No significant irritation
	compoun	
	ds	
Naphtha (petroleum), hydrotreated heavy	Rabbit	Mild irritant
octamethylcyclotetrasiloxane	Rabbit	No significant irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive

\_\_\_\_\_

# Hybrid Ceramic Trim Restorer G2203 [G220316]

2	
2 metriyi 211 isotinazor 5 one [EC no. 220 25) of (5.1)	

### **Skin Sensitisation**

Name	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	similar	Not classified
	compoun	
	ds	
Naphtha (petroleum), hydrotreated heavy	Guinea	Not classified
	pig	
octamethylcyclotetrasiloxane	Human	Not classified
	and	
	animal	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

# Photosensitisation

Name	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

**Respiratory Sensitisation**For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic	
Naphtha (petroleum), hydrotreated heavy	In Vitro	Not mutagenic	
Naphtha (petroleum), hydrotreated heavy	In vivo	Not mutagenic	
octamethylcyclotetrasiloxane		Some positive data exist, but the data are not	
		sufficient for classification	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	In vivo	Not mutagenic	
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	In Vitro	Some positive data exist, but the data are not	
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		sufficient for classification	

Carcinogenicity

curemogenieny	1	1	
Name	Route	Species	Value
Naphtha (petroleum), hydrotreated heavy	Not	Not	Not carcinogenic
	specified.	available	-
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Mouse	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation
Naphtha (petroleum), hydrotreated heavy	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days
Naphtha (petroleum), hydrotreated heavy	Not specified.	Not classified for development	Not applicable	NOAEL NA	during gestation

octamethylcyclotetrasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Ingestion	Toxic to female reproduction	Rabbit	NOAEL 50 mg/kg/day	during organogenesis
octamethylcyclotetrasiloxane	Inhalation	Toxic to female reproduction	Rat	NOAEL 3.6 mg/l	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
octamethylcyclotetrasiloxa ne	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 960 mg/kg/day	3 weeks
octamethylcyclotetrasiloxa ne	Inhalation	liver	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxa ne	Inhalation	endocrine system   immune system   kidney and/or bladder	Not classified	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxa ne	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxa ne	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg/day	2 weeks

**Aspiration Hazard** 

Name	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Naphtha (petroleum), hydrotreated heavy	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Hydrocarbons, C12-C16, isoalkanes,	927-676-8	Green algae	Estimated	72 hours	EL50	>1,000 mg/l
cyclics, <2% aromatics						
Hydrocarbons, C12-	927-676-8	Green algae	Estimated	72 hours	NOEL	1,000 mg/l
C16, isoalkanes, cyclics, <2% aromatics						
	927-676-8	Invertebrate	Estimated	96 hours	LL50	>10,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics						
Hydrocarbons, C12-	927-676-8	Rainbow trout	Experimental	96 hours	LL50	>88,444 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics						
J , .	927-676-8	Water flea	Experimental	48 hours	EL50	>1,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics						
Hydrocarbons, C12-	927-676-8	Water flea	Experimental	21 days	NOEL	1 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics Naphtha (petroleum),	64742-48-9	Green algae	Experimental	72 hours	EL50	>1,000 mg/l
hydrotreated heavy	04/42-48-9	Green algae	Experimental	/2 nours	ELSU	21,000 mg/1
Naphtha (petroleum),	64742-48-9	Rainbow trout	Experimental	96 hours	LL50	>1,000 mg/l
hydrotreated heavy	04742-46-7	Kambow trout	Experimental	70 nours	LLSO	- 1,000 mg/1
Naphtha (petroleum),	64742-48-9	Water flea	Experimental	48 hours	EL50	>1,000 mg/l
hydrotreated heavy	04742 40 )	Water fied	Experimental	40 nours	LESO	1,000 mg/1
Naphtha (petroleum),	64742-48-9	Green algae	Experimental	72 hours	NOEL	1,000 mg/l
hydrotreated heavy		317111 1119117		, = ===================================		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Siloxanes and	71750-79-3	Water flea	Experimental	48 hours	EL50	62 mg/l
Silicones, 3-[(2-			1			
aminoethyl)amino]prop						
yl Me, di-Me						
octamethylcyclotetrasil	556-67-2	Blackworm	Experimental	28 days	NOEC	0.73 mg/kg (Dry Weight)
oxane				1		
octamethylcyclotetrasil	556-67-2	Midge	Experimental	14 days	LC50	>170 mg/kg (Dry Weight)
oxane	556 67.2	M :101 :	E : (1	061	LC50	> 0.0001 //
octamethylcyclotetrasil oxane	556-67-2	Mysid Shrimp	Experimental	96 hours	LC30	>0.0091 mg/l
	556-67-2	Rainbow trout	Experimental	96 hours	LC50	>0.022 mg/l
oxane	330-07-2	Kambow trout	Experimental	70 nours	LC30	- 0.022 mg/1
	556-67-2	Water flea	Experimental	48 hours	EC50	>0.015 mg/l
						*****
octamethylcyclotetrasil	556-67-2	Rainbow trout	Experimental	93 days	NOEC	0.0044 mg/l
oxane			1			
octamethylcyclotetrasil	556-67-2	Water flea	Experimental	21 days	NOEC	0.015 mg/l
oxane						
octamethylcyclotetrasil	556-67-2	Activated sludge	Experimental	3 hours	EC50	>10,000 mg/l
oxane						
	55965-84-9	Activated sludge	Experimental	3 hours	NOEC	0.91 mg/l
	55965-84-9	Racteria Racteria	Experimental	16 hours	FC50	5.7 mg/l
	33903-04-9	Dactoria	Experimental	10 Hours	ECSU	3.7 mg/1
octamethylcyclotetrasil oxane octamethylcyclotetrasil oxane octamethylcyclotetrasil oxane octamethylcyclotetrasil	556-67-2	Water flea	<u> </u>			

methyl-2H-isothiazol-						
3-one [EC no. 220-239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Copepod	Experimental	48 hours	EC50	0.007 mg/l
chloro-2-methyl-4-	33703 64 7	Сорероц	Experimental	40 Hours	Leso	0.007 mg/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1) reaction mass of: 5-	55965-84-9	Diatom	Experimental	72 hours	ErC50	0.0199 mg/l
chloro-2-methyl-4-	33703-04-7	Diatom	Experimental	72 Hours	LICSO	0.0177 mg/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1) reaction mass of: 5-	55965-84-9	Green algae	Evmonim antal	72 hours	ErC50	0.027 mg/l
chloro-2-methyl-4-	33903-84-9	Green algae	Experimental	72 Hours	EICSU	0.02 / Hig/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)	55065 04 0	D:1 4	F : (1	061	1.050	0.10 //
reaction mass of: 5- chloro-2-methyl-4-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC		Minnow				
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	NOEL	0.02 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)	55065.04.0		- · ·	 	None	0.004
reaction mass of: 5-	55965-84-9	Green algae	Experimental	72 hours	NOEC	0.004 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)				1		
reaction mass of: 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
isounazonn-5-one [EC	l .	1	1	1	1	1

Hybrid Cerami	c Trim	Restorer	G2203	IG220316

no. 247-500-7]and 2-			
methyl-2H-isothiazol-			
3-one [EC no. 220-239-			
6] (3:1)			

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Experimental Biodegradation	28 days	BOD	22 %BOD/ThO D	OECD 301F - Manometric respirometry
Naphtha (petroleum), hydrotreated heavy	64742-48-9	Experimental Biodegradation	28 days	BOD	31 %BOD/ThO D	OECD 301F - Manometric respirometry
Siloxanes and Silicones, 3- [(2- aminoethyl)amino]propyl Me, di-Me	71750-79-3	Data not availblinsufficient	N/A	N/A	N/A	N/A
octamethylcyclotetrasiloxan e	556-67-2	Experimental Biodegradation	29 days	CO2 evolution	3.7 %CO2 evolution/THC O2 evolution	OECD 310 CO2 Headspace
octamethylcyclotetrasiloxan e	556-67-2	Experimental Photolysis		Photolytic half-life (in air)	31 days (t 1/2)	
octamethylcyclotetrasiloxan e	556-67-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	69.3-144 hours (t 1/2)	OECD 111 Hydrolysis func of pH
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	> 60 days (t 1/2)	

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Naphtha (petroleum), hydrotreated heavy	64742-48-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Siloxanes and Silicones, 3- [(2- aminoethyl)amino]propyl Me, di-Me	71750-79-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
octamethylcyclotetrasiloxa ne	556-67-2	Experimental BCF - Fish	28 days	Bioaccumulation factor	12400	40CFR 797.1520-Fish Bioaccumm
octamethylcyclotetrasiloxa ne	556-67-2	Experimental Bioconcentration		Log Kow	6.49	OECD 123 log Kow slow stir
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound BCF - Fish	28 days	Bioaccumulation factor	54	OECD305-Bioconcentration
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Bioconcentration		Log Kow	0.4	

#### 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
octamethylcyclotetrasiloxa ne	556-67-2	Experimental Mobility in Soil	Koc	16,600 l/kg	OECD 106 Adsp-Desb Batch Equil
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		Experimental Mobility in Soil	Koc	10 l/kg	OECD 106 Adsp-Desb Batch Equil

#### 12.5. Results of the PBT and vPvB assessment

Ingredient	CAS Nbr	PBT/vPvB status
octamethylcyclotetrasiloxane	556-67-2	Meets REACH PBT criteria
octamethylcyclotetrasiloxane	556-67-2	Meets REACH PBT criteria

#### 12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

### EU waste code (product as sold)

Waste paint and varnish other than those mentioned in 08 01 11

# **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	No data available.	No data available.	No data available.

14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
<b>Emergency Temperature</b>	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

Ingredient CAS Nbr

octamethylcyclotetrasiloxane 556-67-2 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-55965-84-9

3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

# **Authorization status under REACH:**

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

IngredientCAS Nbroctamethylcyclotetrasiloxane556-67-2

Authorization status: listed in the Candidate List of Substances of Very High Concern for Authorization

### Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

#### **DIRECTIVE 2012/18/EU**

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
octamethylcyclotetrasiloxane	556-67-2	100	200
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	50	200

### Regulation (EU) No 649/2012

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

# **SECTION 16: Other information**

#### List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

# **Revision information:**

Section 1: Product identification numbers information was added.

Section 01: SAP Material Numbers information was added.

Label: CLP Percent Unknown information was added.

Label: CLP Percent Unknown information was deleted.

#### Hybrid Ceramic Trim Restorer G2203 [G220316]

- Section 3: Composition/Information of ingredients table information was modified.
- Section 4: First aid for eye contact information information was modified.
- Section 4: First aid for ingestion (swallowing) information information was modified.
- Section 4: First aid for inhalation information information was modified.
- Section 9: Flash point information information was modified.
- Section 9: Vapour density value information was modified.
- Section 11: Acute Toxicity table information was modified.
- Section 11: Aspiration Hazard Table information was modified.
- Section 11: Carcinogenicity Table information was modified.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Target Organs Repeated Table information was modified.
- Section 11: Target Organs Single Table information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Mobility in soil information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 13: EU waste code (product as sold) information information was added.
- Section 13: European waste code disclaimer information was added.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was modified.
- Section 14 UN Number information was modified.
- Section 15: Restrictions on manufacture ingredients information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk